


Animal Tracks

designed by Natalie Crabtree
featuring the Novelty collection Safari


SIZE: 90" x 90"

FREE
PROJECT






THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT ANTHOLOGYFABRICS.COM'S FREE PROJECTS SECTION.




Animal Tracks

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		100Q-1046 White from Lava Solids	2-5/8	(14) 3-1/2" x WOF strips. Subcut (162) 3-1/2" squares; cut once diagonally to create (324) HST. (3) 12-1/2" x WOF strips. Subcut (60) 12-1/2" x 2" rectangles.
B		100Q-1045 Black from Lava Solids	1-1/4	(11) 3-1/2" x WOF strips. Subcut (126) 3-1/2" squares; cut once diagonally to create (252) HST.
C		100Q-1441 Pine from Lava Solids	7/8	(2) 6" x WOF strips. Subcut (8) 6" squares; cut once diagonally to create (16) HST. (8) 2" x WOF strips. Subcut (24) 2" x 12-1/2" rectangles.
D		100Q-1647 Hemp from Lava Solids	3/8	(2) 6" x WOF strips. Subcut (10) 6" squares; cut once diagonally to create (20) HST.
E		956Q-6 Black	2-1/2	(10) 4-1/4" x WOF strips. Subcut (16) 4-1/4" x 9-3/4" and (16) 4-1/4" x 13-3/4" rectangles. (10) 4" x WOF strips. Sew strips via short edge, to make one long strip.
F		956Q-1 Gold	1/2	(2) 8-3/8" x WOF strips. Subcut (8) 8-3/8" squares; cut once diagonally to create (16) HST.
G		953Q-1 Gold	1-1/2	(12) 4-1/4" x WOF strips. Subcut (20) 4-1/4" x 9-3/4" rectangles and (20) 4-1/4" x 13-3/4" rectangles.
H		954Q-5 Cashew	7/8	(3) 8-3/8" x WOF strips. Subcut (10) 8-3/8" squares; cut once diagonally to create (20) HST.
I		957Q-5 Cashew	7/8	(3) 2" x WOF strips. Subcut (49) 2" squares. (10) 2-1/4" x WOF strips for binding. Sew strips via short ends to make one long strip.
		Backing	8-3/4	Batting 98" x 98"



Animal Tracks

HALF SQUARE TRIANGLE UNITS




1. AB Units: Sew (1) **A** and **B** 3-1/2" HSTs right sides together, press seams toward Fabric B. Trim to 3". Make (252) **AB** units. Set aside.



HST UNIT 1

2. HST Unit 1: Sew together (3) **AB** units as shown in diagram. *Note proper rotation of B triangle.* Add to left side of unit (1) **A** 3-1/2" triangle. Press seam towards **B** fabric. Make (36) HST UNIT 1s. Set aside.



HST UNIT 2

3. HST Unit 2: Sew together (4) **AB** units as shown in diagram. *Note proper rotation of B triangle.* Add to right side of unit (1) **A** 3-1/2" triangle. Press seam towards **B** fabric. Make (36) HST UNIT 2s. Set aside.


BLOCK ASSEMBLY

4. F HST Unit: Sew (1) HST UNIT 1 and 2 to (1) **F** 8-3/8" HST, as shown in diagram below. *Note proper rotation of HST units.* Press seams toward **F**. Make (16) **F** HST UNITS.

5. CE Unit: Sew (1) **E** 4-1/4" x 9-3/4" and 4-1/4" x 13-3/4" rectangles to (1) **C** 6" HST unit, as shown in diagram below. Press seams toward **E**. Leave the longest edge of **C** HST unsewn. Trim unit even with unsewn **C** edge. Make (16) **CE** units.

6. Block One: Sew **F** HST and **CE** Units together as shown in diagram, square to 12-1/2".


7. Block Two: Similar to Block One assembly make Block Twos, as shown in diagram.



SASHING STRIPS *For following steps refer to Quilt Diagram on page 3.*

8. AI Sashing Strips: Take (7) **I** 2" squares and (6) **A** 2" x 12-1/2" strips. Sew squares and strips together, alternating them, starting with **I** square. Sashing strip should measure about 88-1/2". Make (5) **AI** Sashing Strips. Set aside.

9. CI Sashing Strips: Similar to **AI** Sashing Strip assembly make (2) **CI** Sashing Strips using (7) **I** 2" squares and (6) **C** 2" x 12-1/2" strips. Set aside.




Animal Tracks

QUILT ASSEMBLY *For following steps refer to Quilt Diagram below.*

10. Using (30) **A** and (12) **C** 2" x 12-1/2" strips, Blocks One and Two, make seven rows as shown in Quilt Diagram below. *Note proper rotation of blocks.*

11. Add **A** and **C** Sashing Strips to rows. *Note proper placement of sashing strips.*
Sew together quilt top, row by row, as shown in Quilt Diagram.

12. E Border: From **E** 4" long strip cut (2) at 83" and using diagonal seams, sew one to sides of quilt top. Press seams towards **E**. Then cut (2) strips at 90" and sew one to top and to bottom of quilt top.



FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using **I** 2-1/4" strips.